

## 1/2" RADIAFLEX® RLKU Cable, A-series

- RADIAFLEX® functions as a distributed antenna to provide communications in tunnels, mines
  and large building complexes and is the solution for any application in confined areas.
- Slots in the copper outer conductor allow a controlled portion of the internal RF energy to be radiated into the surrounding environment. Conversely, a signal transmitted near the cable will couple into the slots and be carried along the cable length.
- RADIAFLEX® is used for both one-way and two-way communication systems and because of its broadband capability, a single radiating cable can handle multiple communication systems simultaneously.
- This RADIAFLEX® radiating cable utilize a low-loss cellular polyethylene foam dielectric and a smooth copper outer conductor which offers a superior electrical performance together with good bending properties.



Ultra wideband from 30 MHz to 2700 MHz

For applications in tunnels and buildings

Low coupling loss variations

RLK cable, A-series

| Technical Features                  |                 |   |  |  |  |
|-------------------------------------|-----------------|---|--|--|--|
| GENERAL SPECIFICATIONS              |                 |   |  |  |  |
| Size                                |                 | 1/2"  |  |  |  |
| ELECTRICAL SPECIFICATIONS           |                 |   |  |  |  |
| Max. Operating Frequency            | MHz 2700        |   |  |  |  |
| Cable Type                          |                 | RLKU  |  |  |  |
| Impedance                           | Ohm             | 50 +/- 2  |  |  |  |
| Velocity                            | %               | 88  |  |  |  |
| Capacitance                         | pF/m (pF/ft)    | 76 (23.2)   |  |  |  |
| Inductance                          | μH/m (μH/ft)    | 0.19 (0.058)  |  |  |  |
| DC-resistance inner conductor       | Ω/km (Ω/1000ft) | 1.97 (0.6)  |  |  |  |
| DC-resistance outer conductor       | Ω/km (Ω/1000ft) | 4.84 (1.48)   |  |  |  |
| Stop bands                          | MHz             | 650-750, 1330-1430, 2025-2100   |  |  |  |
| MECHANICAL SPECIFICATIONS           |                 |   |  |  |  |
| Jacket                              | JFL             |   |  |  |  |
| Jacket Description                  |                 | Halogen free, non corrosive, flame and fire retardant, low smoke, polyolefin + flame barrier tape above outer conductor for lowest cable loss |  |  |  |
| Slot Design                         |                 | Groups of vertical slots at short intervals   |  |  |  |
| Inner Conductor Material            |                 | Copper Clad Aluminum Wire   |  |  |  |
| Outer Conductor Material            |                 | Overlapping Copper Foil   |  |  |  |
| Diameter Inner Conductor            | mm (in)         | 4.4 (0.17)  |  |  |  |
| Diameter Outer Conductor            | mm (in)         | 11.4 (0.45)   |  |  |  |
| Diameter over Jacket                | mm (in)         | 14.7 (0.58)   |  |  |  |
| Minimum Bending Radius, Single Bend | mm (in)         | 200 (7.9)   |  |  |  |
| Cable Weight                        | kg/m (lb/ft)    | 0.23 (0.16)   |  |  |  |
| Tensile Force                       | N (lb)          | 1300 (292)  |  |  |  |
| Indication of Slot Alignment        |                 | Bulge atop slots  |  |  |  |
| Recommended Clamp Spacing           | m (ft)          | 0.5 (1.6)   |  |  |  |
| Minimum Distance to Wall            | mm (in)         | 80 (3.15)   |  |  |  |
| TEMPERATURE SPECIFICATIONS          |                 |   |  |  |  |
| Storage Temperature                 | °C(°F)          | -70 to 85 (-94 to 185 )   |  |  |  |
| Installation Temperature            | °C(°F)          | -25 to 60 (-13 to 140 )   |  |  |  |
| Operation Temperature               | °C(°F)          | -40 to 85 (-40 to 185 )   |  |  |  |

RLKU12-50JFLA REV: REV DATE: 2015/04/24 www.rfsworld.com



## 1/2" RADIAFLEX® RLKU Cable, A-series

| Frequency | Longitudinal          | Coupling Loss |         | TESTING AND ENVIRONMENTAL |        |
|-----------|-----------------------|---------------|---------|---------------------------|--------|
|           | loss                  |               |         | Jacket Testing Methods    | Test r |
| MHz       | dB/100m<br>(dB/100ft) | 50%, dB       | 95%, dB |                           | IEC 6  |
| 75        | 2.17 (0.66)           | 49 (53)       | 59 (63) |                           | IEC 6  |
| 150       | 3.10 (0.94)           | 57 (61)       | 68 (72) |                           | UL16   |
| 450       | 5.74 (1.75)           | 65 (68)       | 76 (79) |                           | 102.0  |
| 800       | 8.75 (2.67)           | 57 (59)       | 63 (65) |                           |        |
| 870       | 9.21 (2.81)           | 58 (60)       | 64 (66) |                           |        |
| 900       | 9.40 (2.86)           | 58 (60)       | 63 (66) |                           |        |
| 960       | 9.73 (2.97)           | 58 (60)       | 64 (66) |                           |        |
| 1800      | 21.97 (6.70)          | 55 (57)       | 65 (67) |                           |        |
| 1900      | 22.71 (6.92)          | 55 (57)       | 65 (67) |                           |        |
| 2000      | 23.48 (7.16)          | 53 (56)       | 65 (66) |                           |        |
| 2200      | 25.47 (7.76)          | 52 (55)       | 60 (63) |                           |        |
| 2400      | 27.93 (8.51)          | 52 (54)       | 60 (63) |                           |        |
| 2600      | 30.50 (9.30)          | 52 (54)       | 60 (63) |                           |        |

| Jacket Testing Methods  Test methods for fire behaviour of cable: IEC 60754-1/-2 smoke emission: halogen free, non corrosive IEC 61034 low smoke IEC 60332-1 flame retardant IEC 60332-3-24 fire retardant | TESTING AND ENVIRONMENTAL |  |  |
|--|---------------------------|--|--|
| UL1666, ASTM E 662, NES711 and NES713  | Jacket Testing Methods    | IEC 60754-1/-2 smoke emission: halogen free, non corrosive IEC 61034 low smoke IEC 60332-1 flame retardant IEC 60332-3-24 fire retardant |  |

## **External Document Links**

## **Notes**



Coupling loss as well as longitudinal attenuation of RADIAFLEX® cables are measured by the free space method according to IEC 61196-4.



Coupling loss values are measured with a radial (below 650 MHz) or parallel (above 650 MHz) orientated dipole antenna. The coupling loss values given in brackets are average values of all three spatial orientations (radial, parallel



and orthogonal) of dipole antenna. Coupling loss values are given with a tolerance of +5 dB and longitudinal loss values with a tolerance of +5%. Note: Measured values below nominal are better. They are not limited by any tolerance-range.



In case of a conflict of operational and stop band, please contact RFS for further assistance.



As with any radiating cable, the performance in building or tunnel environments may deviate from figures based on free space method.

RLKU12-50JFLA REV: **REV DATE: 2015/04/24** www.rfsworld.com