

Safety data sheet
acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 14.11.2022

Version number 18

Revision: 14.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Plast 2000**
- **MSDS code:** T-PL000040
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Sealant
Silicone sealant
Casting compound
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SPINNER GmbH
Erzgiessereistr. 33
D - 80335 Munich
sicherheitsdatenblatt@spinner-group.com
Tel.: +49 (0)89 12601 - 0 Fax: +49 (0)89 12601 - 1210
- **Further information obtainable from:**
See above-mentioned address
- **1.4 Emergency telephone number:**
During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

-
- **2.2 Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
 - **Hazard pictograms** GHS07
 - **Signal word** Warning
 - **Contains:**
N,N',N"-tricyclohexyl-1-methylsilanetriamine
 - **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
 - **Precautionary statements**
P261 Avoid breathing vapours.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)

GB

Safety data sheet
acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 14.11.2022

Version number 18

Revision: 14.11.2022

Trade name: Plast 2000

(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Polydimethylsiloxane with inorganic fillers and aminosilane as curing agent

- **Dangerous components:**

| | | |
|--------------------------------|---|-------|
| CAS: 15901-40-3 | N,N',N''-tricyclohexyl-1-methylsilanetriamine | 1-<5% |
| EINECS: 240-040-8 | ⚠ Skin Corr. 1A, H314; Eye Dam. 1, H318 | |
| Reg.nr.: 01-2120765341-58-xxxx | | |

- **SVHC -**

- **Additional information:**

For the wording of the listed hazard phrases refer to section 16.

While curing the following substances are formed and released by a reaction with atmospheric humidity:
Cyclohexylamine (CAS 108-91-8)

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Take affected persons out into the fresh air.
In case of accident or if you feel unwell, seek medical advice (show this safety data sheet if possible).
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Remove from the skin using a cloth or paper. Then clean with water and soap.
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
- **Information for doctor:** No further relevant information available.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
Use fire extinguishing methods suitable to surrounding conditions.
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

(Contd. on page 3)

Safety data sheet
acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 14.11.2022

Version number 18

Revision: 14.11.2022

Trade name: Plast 2000

(Contd. of page 2)

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation.
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Pick up mechanically.
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**
By a reaction with atmospheric humidity by-products are released. See chapter 8.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional Occupational Exposure Limit Values for possible hazards during processing:**
While curing the following substances are formed and released by a reaction with atmospheric humidity:
Cyclohexylamine (CAS 108-91-8)
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Do not eat, drink, smoke or sniff while working.
- **Respiratory protection:**
Not necessary if room is well-ventilated.
Filter ABEK

(Contd. on page 4)

Safety data sheet
acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 14.11.2022

Version number 18

Revision: 14.11.2022

Trade name: Plast 2000

(Contd. of page 3)

Use suitable respiratory protective device in case of insufficient ventilation.
For further guidance, please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

- **Protection of hands:**



Protective gloves

- **Material of gloves**

Nitrile rubber, NBR

Butyl rubber, BR

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Safety glasses

- **Body protection:**



Protective work clothing

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

| | |
|------------------|------------|
| · Form: | Viscous |
| · Colour: | Dark grey |
| · Odour: | Amine-like |

- **pH-value:**

| | |
|---|-----------------|
| · Melting point/freezing point: | Undetermined. |
| · Initial boiling point and boiling range: | Not applicable. |

- **Flash point:** >151 °C

- **Auto-ignition temperature:** Product is not selfigniting.

- **Explosive properties:** Product does not present an explosion hazard.

- **Density at 20 °C:** 1.37 g/cm³

- **Solubility in / Miscibility with water:**

Immiscible / difficult to mix.

- **Solvent content:**

| | |
|-------------------|---------|
| · VOC (EU) | 0.6 g/l |
| · VOC (EC) | 0.05 % |

- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.

(Contd. on page 5)

Safety data sheet
acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 14.11.2022

Version number 18

Revision: 14.11.2022

Trade name: Plast 2000

(Contd. of page 4)

- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
None if stored according to specifications.
Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
 - **Acute toxicity** Based on available data, the classification criteria are not met.
 - **LD/LC50 values relevant for classification:**
-
- CAS: 1317-65-3 limestone**
Oral LD50 >2,000 mg/kg (rat)
- **Primary irritant effect:**
 - **Skin corrosion/irritation**
Causes skin irritation.
 - **Serious eye damage/irritation**
Causes serious eye irritation.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **Additional toxicological information:**
 - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT-single exposure** Based on available data, the classification criteria are not met.
 - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
 - **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
 - **Aquatic toxicity:**
-
- CAS: 1317-65-3 limestone**
LC50/96 h 10,000 mg/L (oncorhynchus mykiss)
EC50/48 h >1,000 mg/L (daphnia magna)
- **12.2 Persistence and degradability** No further relevant information available.
 - **Other information:** The product is not biodegradable.
 - **12.3 Bioaccumulative potential** No further relevant information available.
 - **12.4 Mobility in soil** No further relevant information available.
 - **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
 - **12.6 Other adverse effects** No further relevant information available.

(Contd. on page 6)

Safety data sheet
acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 14.11.2022

Version number 18

Revision: 14.11.2022

Trade name: Plast 2000

(Contd. of page 5)

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product.

Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

- **European waste catalogue**

2008/98/EC (UK WM3) : n/a

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

HP4 Irritant - skin irritation and eye damage

- **Uncleaned packaging:**

- **Recommendation:**

Empty packages totally (without drops or grains, cleaned with a spatula). Under observation of the relevant local respectively national regulations re-use or recycling is preferred.

SECTION 14: Transport information

- **14.1 UN-Number**

- **ADR, ADN, IMDG, IATA** Void

- **14.2 UN proper shipping name**

- **ADR** Void

Void

- **ADN, IMDG, IATA** Void

Void

- **14.3 Transport hazard class(es)**

- **ADR, ADN, IMDG, IATA**

- **Class** Void

Void

- **14.4 Packing group**

- **ADR, IMDG, IATA** Void

Void

- **14.5 Environmental hazards:**

- **Marine pollutant:** No

No

- **14.6 Special precautions for user**

Not applicable.

- **14.7 Transport in bulk according to Annex II of**

Marpol and the IBC Code Not applicable.

Not applicable.

- **UN "Model Regulation":**

Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015)

(Contd. on page 7)

Safety data sheet
acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 14.11.2022

Version number 18

Revision: 14.11.2022

Trade name: Plast 2000

(Contd. of page 6)

"GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

"UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

- **Directive 2012/18/EU**
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
None of the ingredients is listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
None of the ingredients is listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**
None of the ingredients is listed.
- **Regulation (EC) No 273/2004 on drug precursors**
CAS: 108-88-3 toluene: 3
- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
CAS: 108-88-3 toluene: 3
- **National regulations:**
- **Other regulations, limitations and prohibitive regulations** No further relevant information available.
- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
- **Department issuing SDS:**
Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019
- **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- *** Data compared to the previous version altered.**